



LED TRAKE

XENON^{LIGHT}
LIGHTS & ACCESSORIES

Led Trake IP20- Jednobojne




- 80% više uštede u odnosu na klasične lampe
- Savremeno rešenje
- Visoko efikasne
- Veliki izbor temperature boje
- Samolepljive i lake za upotrebu
- Jednostavna i bezbedna upotreba
- Manji troškovi i duži vek trajanja

LED TRAKE IP20 | 3528 jednobojne



MODEL	SNAGA /m	BOJA SVETLA	LUMEN/chip	NAPON	Br. dioda/m	Dimenzije
-------	----------	-------------	------------	-------	-------------	-----------

3528-60D	6W	6500K	○	8-10 /chip	12V	60 /m	8mmx5m
3528-60D	6W	4000K	○	8-10 /chip	12V	60 /m	8mmx5m
3528-60D	6W	3000K	○	8-10 /chip	12V	60 /m	8mmx5m
3528-60D	6W	2300K	○	8-10 /chip	12V	60 /m	8mmx5m
3528-60D	6W	Red	●	6-8 /chip	12V	60 /m	8mmx5m
3528-60D	6W	Green	●	6-8 /chip	12V	60 /m	8mmx5m
3528-60D	6W	Blue	●	6-8 /chip	12V	60 /m	8mmx5m
3528-60D	6W	Yellow	●	6-8 /chip	12V	60 /m	8mmx5m
3528-60D	6W	Pink	●	6-8 /chip	12V	60 /m	8mmx5m
3528-120D	12W	6500K	○	8-10 /chip	12V	120 /m	8mmx5m
3528-120D	12W	4000K	○	8-10 /chip	12V	120 /m	8mmx5m
3528-120D	12W	3000K	○	8-10 /chip	12V	120 /m	8mmx5m
3528-120D	12W	2300K	○	8-10 /chip	12V	120 /m	8mmx5m
3528-120D	12W	Red	●	6-8 /chip	12V	120 /m	8mmx5m
3528-120D	12W	Green	●	6-8 /chip	12V	120 /m	8mmx5m
3528-120D	12W	Blue	●	6-8 /chip	12V	120 /m	8mmx5m





-
-
-
-
-
-

LED TRAKE IP20 | 5050 jednobojne



MODEL	SNAGA /m	BOJA SVETLA	LUMEN/chip	NAPON	Br. dioda/m	Dimenzije
-------	----------	-------------	------------	-------	-------------	-----------

5050-60	14.4W	6500K	10-12 /chip	12V	60 /m	10mmx5m
5050-60	14.4W	4000K	10-12 /chip	12V	60 /m	10mmx5m
5050-60	14.4W	3000K	10-12 /chip	12V	60 /m	10mmx5m
5050-60	14.4W	Red	10-12 /chip	12V	60 /m	10mmx5m
5050-60	14.4W	Green	10-12 /chip	12V	60 /m	10mmx5m
5050-60	14.4W	Blue	10-12 /chip	12V	60 /m	10mmx5m
5050-60	14.4W	Pink	10-12 /chip	12V	60 /m	10mmx5m
5050-120	28.8W	6500K	10-12 /chip	12V	120 /m	10mmx5m
5050-120	28.8W	4000K	10-12 /chip	12V	120 /m	10mmx5m
5050-120	28.8W	3000K	10-12 /chip	12V	120 /m	10mmx5m




LED TRAKE IP20 | 2835 jednobojne



MODEL	SNAGA /m	BOJA SVETLA	LUMEN/chip	NAPON	Br. dioda/m	Dimenzije
-------	----------	-------------	------------	-------	-------------	-----------

2835-60	6W	6500K	10-12 /chip	12V	60 /m	8mmx5m
2835-120	12W	6500K	10-12 /chip	12V	120 /m	8mmx5m




LED TRAKE IP20 | 2835-5MM jednobojne



MODEL	SNAGA /m	BOJA SVETLA	LUMEN/chip	NAPON	Br. dioda/m	Dimenzije
-------	----------	-------------	------------	-------	-------------	-----------

2835-60-5MM	6W	6500K	10-12 /chip	12V	60 /m	5mmx5m
2835-60-5MM	6W	4000K	10-12 /chip	12V	60 /m	5mmx5m
2835-60-5MM	6W	3000K	10-12 /chip	12V	60 /m	5mmx5m
2835-120-5MM	12W	6500K	10-12 /chip	12V	120 /m	5mmx5m
2835-120-5MM	12W	4000K	10-12 /chip	12V	120 /m	5mmx5m
2835-120-5MM	12W	3000K	10-12 /chip	12V	120 /m	5mmx5m





LED TRAKE IP20 | 2110 jednobojne

3 GODINE
GARANCIJE





MODEL	SNAGA /m	BOJA SVETLA	LUMEN/W	NAPON	Br. dioda/m	Dimenzije
2110-60	4.8W	6500K	82Lm/W	12V	60/m	8mmx5m
2110-60	4.8W	4000K	82Lm/W	12V	60/m	8mmx5m
2110-60	4.8W	3000K	76Lm/W	12V	60/m	8mmx5m
2110-120	9.6W	6500K	82Lm/W	12V	120/m	8mmx5m
2110-120	9.6W	4000K	82Lm/W	12V	120/m	8mmx5m
2110-120	9.6W	3000K	76Lm/W	12V	120/m	8mmx5m



LED TRAKE IP20 | 5730 jednobojne



MODEL	SNAGA /m	BOJA SVETLA	LUMEN/chip	NAPON	Br. dioda/m	Dimenzije
5730-60	14.4W	6500K	10-12 /chip	12V	60 /m	10mmx5m
5730-60	14.4W	4000K	10-12 /chip	12V	60 /m	10mmx5m
5730-60	14.4W	3000K	10-12 /chip	12V	60 /m	10mmx5m




-
-
-
-
-
-

Led Trake IP20 - 24V





- Još više uštede
- Stabilnije i dugotrajnije
- Savremeno rešenje
- Visoko efikasne
- Veliki izbor temperature boje
- Samolepljive i lake za upotrebu
- Konstantan intenzitet svetla na većim dužinama

LED TRAKE IP20 | 24V 2835 jednobojne



MODEL	SNAGA /m	BOJA SVETLA	LUMEN/chip	NAPON	Br. dioda/m	Dimenzije
2835-60-24V	6W	6500K	18-20 /chip	24V	60 /m	8mmx5m
2835-60-24V	6W	4000K	18-20 /chip	24V	60 /m	8mmx5m
2835-60-24V	6W	3000K	18-20 /chip	24V	60 /m	8mmx5m
2835-60-24V	6W	2300K	18-20 /chip	24V	60 /m	8mmx5m
2835-120-24V	12W	6500K	18-20 /chip	24V	120 /m	8mmx5m
2835-120-24V	12W	4000K	18-20 /chip	24V	120 /m	8mmx5m
2835-120-24V	12W	3000K	18-20 /chip	24V	120 /m	8mmx5m
2835-120-24V	12W	2300K	18-20 /chip	24V	120 /m	8mmx5m



- 24V
- SMD
- IP20
- 120°
- 5M

Led Trake IP20 - 24V COB





- **Neprekidan niz svetla**
- **Više lumena sa manje energije**
- **Smanjeni nivo toplote**
- **Performanse visokog nivoa tokom dužeg vremena trajanja**
- **Konstantan intenzitet svetla na većim dužinama**

LED TRAKE IP20 | 24V COB



MODEL	SNAGA /m	BOJA SVETLA	LUMEN/chip	NAPON	Br. dioda/m	Dimenzije
FCOB-D308	12W	6500K	2-3/chip	24V	300 /m	8mmx5m
FCOB-D308	12W	4000K	2-3/chip	24V	300 /m	8mmx5m
FCOB-D308	12W	3000K	2-3/chip	24V	300 /m	8mmx5m



- 24V
- COB
- IP20
- 120°
- 5M



Led Trake IP20 - RGB





- **Mogućnost izbora boje**
- **Mogućnost izbora režima rada**
- **Savremeno rešenje**
- **Visoko efikasne**
- **Jednostavna i bezbedna upotreba**

LED TRAKE IP20 | 5050 RGB



MODEL	SNAGA /m	BOJA SVETLA	LUMEN/chip	NAPON	Br. dioda/m	Dimenzije
-------	----------	-------------	------------	-------	-------------	-----------

5050-RGB-30	7.2W	RGB	10-12 /chip	12V	30/m	10mmx5m
5050-RGB-60	14.4W	RGB	10-12 /chip	12V	60/m	10mmx5m



Led Trake IP20 - Z SHAPE





- Mogućnost višestrukog načina savijanja
- Savremeno rešenje
- Samolepljive i lake za upotrebu



LED TRAKE IP20 | Z-SHAPE



MODEL	SNAGA /m	BOJA SVETLA	LUMEN/W	NAPON	Br. dioda/m	Dimenzije
KL-2835-60Z	10W	4000K	94lm/W	12V	60/m	6mmx5m
KL-2835-60Z	10W	3000K	101lm/W	12V	60/m	6mmx5m



- 12V
- SMD
- IP20
- 120°
- 5M

Led Trake - Vodootporne 12V



- Mogućnost unutrašnje i spoljašnje upotrebe
- Visoko efikasne
- Veliki izbor temperature boje
- Samolepljive i lake za upotrebu




LED TRAKE IP54 | 3528 Jednobojne



MODEL	SNAGA /m	BOJA SVETLA	LUMEN/chip	NAPON	Br. dioda/m	Dimenzije
-------	----------	-------------	------------	-------	-------------	-----------

3528-60D	6W	6500K	8-10 /chip	12V	60 /m	8mmx5m
3528-60D	6W	4000K	8-10 /chip	12V	60 /m	8mmx5m
3528-60D	6W	3000K	8-10 /chip	12V	60 /m	8mmx5m
3528-60D	6W	Red	6-8 /chip	12V	60 /m	8mmx5m
3528-60D	6W	Green	6-8 /chip	12V	60 /m	8mmx5m
3528-60D	6W	Blue	6-8 /chip	12V	60 /m	8mmx5m
3528-60D	6W	Yellow	6-8 /chip	12V	60 /m	8mmx5m
3528-120D	12W	6500K	8-10 /chip	12V	120 /m	8mmx5m
3528-120D	12W	4000K	8-10 /chip	12V	120 /m	8mmx5m
3528-120D	12W	3000K	8-10 /chip	12V	120 /m	8mmx5m
3528-120D	12W	Red	6-8 /chip	12V	120 /m	8mmx5m
3528-120D	12W	Green	6-8 /chip	12V	120 /m	8mmx5m
3528-120D	12W	Blue	6-8 /chip	12V	120 /m	8mmx5m




- 12V
- SMD
- IP54
- 120°
- 5M

LED TRAKE IP54 | 5050 jednobojne



MODEL	SNAGA /m	BOJA SVETLA	LUMEN/chip	NAPON	Br. dioda/m	Dimenzije
-------	----------	-------------	------------	-------	-------------	-----------

5050-30	7,2W	6500K	10-12 /chip	12V	30 /m	10mmx5m
5050-30	7,2W	4000K	10-12 /chip	12V	30 /m	10mmx5m
5050-30	7,2W	3000K	10-12 /chip	12V	30 /m	10mmx5m
5050-60	14,4W	6500K	10-12 /chip	12V	60 /m	10mmx5m
5050-60	14,4W	4000K	10-12 /chip	12V	60 /m	10mmx5m
5050-60	14,4W	3000K	10-12 /chip	12V	60 /m	10mmx5m
5050-60	14,4W	Red	10-12 /chip	12V	60 /m	10mmx5m
5050-60	14,4W	Green	10-12 /chip	12V	60 /m	10mmx5m
5050-60	14,4W	Blue	10-12 /chip	12V	60 /m	10mmx5m




LED TRAKE IP54 | 5050 RGB



MODEL	SNAGA /m	BOJA SVETLA	LUMEN/chip	NAPON	Br. dioda/m	Dimenzije
-------	----------	-------------	------------	-------	-------------	-----------



5050-RGB-30	7.2W	RGB	10-12 /chip	12V	30 /m	10mmx5m
5050-RGB-60	14.4W	RGB	10-12 /chip	12V	60 /m	10mmx5m



LED TRAKE IP67 | 3528 Jednobojne



MODEL	SNAGA /m	BOJA SVETLA	LUMEN/chip	NAPON	Br. dioda/m	Dimenzije
3528-60D	6W	6500K	8-10 /chip	12V	60 /m	8mmx5m
3528-60D	6W	4000K	8-10 /chip	12V	60 /m	8mmx5m
3528-60D	6W	3000K	8-10 /chip	12V	60 /m	8mmx5m
3528-60D	6W	Red	6-8 /chip	12V	60 /m	8mmx5m
3528-60D	6W	Green	6-8 /chip	12V	60 /m	8mmx5m
3528-60D	6W	Blue	6-8 /chip	12V	60 /m	8mmx5m
3528-60D	6W	Yellow	6-8 /chip	12V	60 /m	8mmx5m
3528-120D	12W	6500K	8-10 /chip	12V	120 /m	8mmx5m
3528-120D	12W	4000K	8-10 /chip	12V	120 /m	8mmx5m
3528-120D	12W	3000K	8-10 /chip	12V	120 /m	8mmx5m
3528-120D	12W	Red	6-8 /chip	12V	120 /m	8mmx5m
3528-120D	12W	Green	6-8 /chip	12V	120 /m	8mmx5m
3528-120D	12W	Blue	6-8 /chip	12V	120 /m	8mmx5m



-
-
-
-
-
-

Led Trake - Vodootporne 24V






- Mogućnost montiranja u gotovo svim uslovima
- Visoko efikasne
- Veliki izbor temperature boje
- Stabilne i dugotrajne
- Konstantan intenzitet svetla na većim dužinama

LED TRAKE IP65 | 24V Jednobojne



MODEL	SNAGA /m	BOJA SVETLA	LUMEN/chip	NAPON	Br. dioda/m	Dimenzije
2835-60-24V	6W	6500K	18-20 /chip	24V	60 /m	8mmx5m
2835-60-24V	6W	4000K	18-20 /chip	24V	60 /m	8mmx5m
2835-60-24V	6W	3000K	18-20 /chip	24V	60 /m	8mmx5m
2835-120-24V	12W	6500K	18-20 /chip	24V	120 /m	8mmx5m
2835-120-24V	12W	4000K	18-20 /chip	24V	120 /m	8mmx5m
2835-120-24V	12W	3000K	18-20 /chip	24V	120 /m	8mmx5m
2835-120-24V	12W	2300K	18-20 /chip	24V	120 /m	8mmx5m





Led Trake - 220V



- Mogućnost unutrašnje i spoljašnje upotrebe
- Savremeno rešenje
- Veliki izbor temperature boje
- Jednostavna upotreba

LED TRAKE 220V | 5050 jednobojne




LED TRAKE 220V | 5050 RGB



MODEL	SNAGA /m	BOJA SVETLA	LUMEN/chip	NAPON	Br. dioda/m	Dimenzije
5050-60	14W	6500K	10-12 /chip	220V	60 /m	10mmx50m
5050-60	14W	4000K	10-12 /chip	220V	60 /m	10mmx50m
5050-60	14W	3000K	10-12 /chip	220V	60 /m	10mmx50m
5050-60	14W	Red	10-12 /chip	220V	60 /m	10mmx50m
5050-60	14W	Green	10-12 /chip	220V	60 /m	10mmx50m
5050-60	14W	Blue	10-12 /chip	220V	60 /m	10mmx50m

MODEL	SNAGA /m	BOJA SVETLA	LUMEN/chip	NAPON	Br. dioda/m	Dimenzije
5050-RGB-60	14W	RGB	10-12 /chip	220V	60 /m	10mmx50m

5050-60D 220V



5050-RGB-60D 220V

